

DECT Base Handset - small and light

elmeg DECT Handset 2010

- Three line LC display (black/white)
- Handover function
- GAP standard
- Headset connector
- Open-listening/hands-free function
- Triple cell AAA-NiMH battery
- Talk/standby time: > 12/150 hours

elmeg DECT Handset 2010

DECT Base Handset - small and light

The DECT Handset 2010 is a small, user-friendly, lightweight entry-level device for basic wireless telephony on the KWS-DECToIP system.

Product description

The elmeg DECT Handset 2010 offers high-end mobility and compliance of all standards of optimal wireless communication for small and medium sized companies.



Variants

elmeg DECT handset 2010 compl.
(5530000007)

DECT handset, black, with LCD display in black/white (3 rows text or symbols)
hands free, headset socket; scope of delivery: handset, charger bay, power supply

Features

Features	
Size	(L x W x H): 124 x 47 x 31 mm
Weight	Incl. battery: 120 g
Silent charging	yes
'R'-Key	For redirecting the call (systemdependent function)
Alarm for low battery	yes
Speech / standby time	> 12/150 hours
Key lock	yes
Key tones	yes
Accept call with any key	yes
Languages	13 languages (UK, FR, ES, IT, DE, DK, PT, NL, PL, SE, TR, RU, GR)
Headset connector	yes
Calling list	List for incoming/missed/received calls (10 entries)
Ringtone volumes	5 different ringtone volumes
Display	Black/white-LCD (3 rows text and symbols)
Battery	Three-cell AAA-NiMH-battery

Features

speaker-/Hands free function	yes
Automatic gain adjustment	yes
CLIP	Display of caller ID
Timer for call duration	yes
Internal and external ringtones	yes
Volume adjustment	yes
Phonebook	With 40 names and numbers
Mute mode	yes