



SIP PHONE

An SIP telephone for elmeg hybrid and telephony via Internet

elmeg IP60

- 2-line, non-backlit LCD display
- 5 programmable dual-function keys with LED status light
- Loudspeaker, hands-free, headset mode
- Busy lamp field (BLF) and dedicated MWI key
- Registration of up to 6 SIP accounts
- Multilingual user interface (D, EN, FR, IT, E, NL, and more)
- Does not require SIP licenses for the elmeg hybrid



elmeg IP60

An SIP telephone for elmeg hybrid and telephony via Internet

The elmeg IP60 is an affordable Internet telephone that connects to public SIP providers using the SIP standard and is a perfect match for the elmeg hybrid system.

Product description

Individual features of the elmeg hybrid system have been consistently implemented on the new phone. For instance, the voicemail button blinks when a call has gone unanswered. By pushing the button, a direct connection to the elmeg hybrid's voicemail system is established. The function keys of the IP 60 can be programmed as desired and can display the connection status or other system telephones (busy lamp field).

Specifications

Feature overview

- IP telephone using the SIP standard for elmeg hybrid and standard SIP connections
- 2-line, non-backlit LCD display (128x35 pixels)
- High voice quality with G.722 voice codec
- Multilingual user interface (German, English, French, Italian, Spanish, Dutch, and more)
- Configuration via Web interface or LCD
- 10 programmable functions on 5 dual-function keys with LED status light
- Loudspeaker, hands-free, headset mode
- Busy lamp field (BLF) and dedicated MWI key
- Allows registration of up to 6 SIP accounts
- Two 10/100 Mbps Ethernet ports
- Power supplied by 230 V plug-in AC adapter

Voice and network functionality

- Voice over IP protocol: RFC 3261 compliant SIP
- Voice codecs: G.722, G.729, G.711, ilbc
- Quality of Service: 802.1q (VLAN), DiffServ, 802.1p, ToS
- IP address allocation: DHCP, static, PPPoE
- Network functionality: time via NTP server, STUN, NAT

Telephone memory

- Internal telephone directory with up to 200 entries Compatible with the elmeg hybrid telephone book via CSV import
- 20 telephone numbers for missed calls and redial lists

hybird compatibility

- Requires no SIP licenses when part of an elmeg hybrid system
- Busy lamp field integration
- MWI and voicemail LED with button for directly connecting to hybrid voicemail system
- CLIP—the name of the caller is displayed if the name is present in the elmeg hybrid's telephone book or whenever the call is from an internal caller
- Data from the internal telephone book of the elmeg hybrid can be loaded into the local telephone book of the elmeg IP60 by importing a CSV file

Variants

elmeg IP60 (5530000050)

VoIP-SIP phone suitable for the hybrid IP-PBX and for other SIP systems. 2-Port Ethernet 10/100Mbit/s, G.711, G.729, G.722, Two-line LCD , Handsfree operation, speaker phone, 5 programmable keys, BLf, MWI